

Desigo CC™

# Desigo CC™ Compact for Electrical Applications

P55802-Y108-A100



The Desigo™ CC Compact for Electrical Applications management station provides an integrated approach to managing and controlling facilities from a flexible, easy-to-use interface that allows users to:

- Operate and monitor the building infrastructure graphically
- Automate lighting controls to enhance building and energy efficiency
- Guide operators in the handling of critical situations
- Detect, visualize, and acknowledge/reset faults and alarms
- Collect, visualize, and compare online and offline Trend data
- Create schedules to automate building operation and configure exceptions
- Create and configure standard performance reports
- Store and retrieve system activity data, and view data logs
- Send automatic remote notifications via email, SMS, and pagers
- Participate in the Internet of Things through open APIs and custom adapters




# General Description

Desigo CC™ Compact for Electrical Applications offers full integration of lighting and all other electrical assets through KNX protocol, while also supporting in the southbound open standards such as BACnet, OPC, Modbus, and many more. Options are available for dedicated, browser-based, and Windows desktop app clients using the same user interface. Additionally, web interfaces provide increased flexibility for operation and future extensions such as mobile applications for tablets and smartphones.

# System Architecture

Desigo CC™ Compact for Electrical Applications is a single-station system designed to augment existing building infrastructure and integrate with standard IT hardware, software, and networks. The open, adaptable architecture can support virtual IT environments and advanced networks.



# System Capabilities

- Multi-language support
- Open-data libraries designed for extensions and integrations
- Support for KNX and KNX Secure (including ETS project import), BACnet, OPC, Modbus, HTTP(S), M-bus, S7, HTML5
- Support for Siemens and third-party KNX devices and other integrated systems
- Powerful features such as advanced event management, Data analysis through advanced reporting, Mobile App, remote notifications, reports, log viewer, scheduling, long-term storage, user management
- Consistent user interface concept across all applications, with graphic-oriented operation workflows
- Online graphics engineering, including data discovery
- Web and remote access from mobile clients
- Southbound open interfaces and SDK to develop subsystem extensions
- Consolidated Ecosystem program and network to share and expand subsystem extensions, applications, utilities, and tools

2

# Certifications and Approvals

Desigo CC<sup>™</sup> Compact for Electrical Applications has been tested against a wide range of domain- and country-specific norms and standards, including:

- BACnet Revision 1.15, certified by BACnet Testing Laboratory as BACnet Advanced Workstation Software (BTL B-AWS)
- IT security compliant with the ISA-99/IEC 62443 Security Level: SL1
- OPC DA V2.05a and V3.0 Server, certified by the OPC Foundation certification program

# **Technical Data**

All systems should be dimensioned according to project size, and you should maintain OS compatibility until Microsoft retires the product.

#### **Operating System Compatibility**

The Server and Installed Clients run on the following Microsoft operating systems and editions:

- Microsoft® Windows 7 64-bit (Professional and Enterprise)
- Microsoft® Windows 10 64-bit (Professional and Enterprise)
- Microsoft® Windows 10 IoT Enterprise 2016 LTSB
- Microsoft® Windows Server 2012 R2 64-bit
- Microsoft® Windows Server 2016 64-bit
- Microsoft® Windows Server 2019 64-bit

Web Clients and Windows App Clients run on following Microsoft operating systems and editions:

- Microsoft® Windows 7 64-bit (Professional and Enterprise)
- Microsoft® Windows 10 64-bit (Professional and Enterprise)

#### Hardware Requirements (minimum recommendation)

Physical Machine

Hard disk: 64 GB SSD

• RAM: 8GB

Processor: Intel Atom E3827

Virtual Machines

Hard disk: 1 x 1024GB SSD

RAM: 16GB

Processor: 4 vCPUs assigned to the VM ≥3.2 GHz

#### Microsoft SQL Server Compatibility

Microsoft SQL Server 2014 R2 Express is free and included with the DVD image. Additional supported SQL version and editions are:

- Microsoft® SQL Server 2012 (Express, Standard and Enterprise)
- Microsoft® SQL Server 2014 (Express, Standard and Enterprise)
- Microsoft® SQL Server 2016 (Express, Standard and Enterprise)
- Microsoft® SQL Server 2017 (Express, Standard and Enterprise)

# **Ordering Information**

For ordering information related to Desigo CC™ Compact for Electrical Applications, please visit our online tool HIT.

#### Resources

For the latest information about Building Products and Siemens Smart Infrastructure, visit our Building Products site.

For other datasheets, see the following:

- Desigo CC™
- Cerberus® DMS
- Desigo CC<sup>™</sup> Compact BA
- Desigo CC<sup>™</sup> Compact DMS
- Desigo CC<sup>™</sup> Compact Validated Monitoring
- Desigo CC<sup>™</sup> Connect

For more information, refer to your local sales organization.

#### Cyber Security Disclaimer

Siemens' portfolio undergoes continuous development to make it more secure. Siemens strongly recommends that updates are applied as soon as they are available and that the latest versions are used. Use of versions that are no longer supported, and failure to apply the latest updates may increase your exposure to cyber threats. Siemens strongly recommends compliance with security advisories on the latest security threats, patches, and other related measures—published, among others, under <a href="https://www.siemens.com/cert/en/cert-security-advisories.htm">https://www.siemens.com/cert/en/cert-security-advisories.htm</a>.

Issued by
Siemens Switzerland Ltd
Smart Infrastructure
Global Headquarters
Theilerstrasse 1a
CH-6300 Zug
Tel. +41 58 724 2424
www.siemens.com/buildingtechnologies

© Siemens Switzerland Ltd, 2020 Technical specifications and availability subject to change without notice.

Document ID A6V11993473\_en\_a\_42 Edition 2020-03-31